



 **HEALTHTRACK^{RX}**

Test Fast.

Treat Faster.

**NEXT-MORNING RESULTS
FOR ALL COMMON INFECTIONS**

FASTER RESULTS MEAN BETTER OUTCOMES

Traditional
SOC Clinic
Workflow

- Initial Patient Visit
- ▶ Use of relevant POC testing
 - ▶ Consideration of relevant send out test options
 - ▶ Decision to prescribe antibiotics empirically

Patient takes first round of broad-spectrum antibiotics

- Lab Results Received
- ▶ Determination if initial treatment was appropriate
 - ▶ If needed, additional round of antibiotics

- Additional Follow-Up Visits Due To:
- ▶ Lack of symptom resolution from appropriate treatment
 - ▶ Antibiotic related adverse events

DAY 0

DAY 1

DAY 2

DAY 3

DAY 5+

HealthTrackRx
Clinic
Workflow

- Initial Patient Visit
- ▶ Use of relevant POC testing
 - ▶ Consideration of relevant send out test options

- HealthTrackRx Lab
- ▶ Appropriate treatment decision made

DAY 2

Completion of a Single Round of Effective Antibiotics (if needed)



HealthTrackRx
Shortens the
Clinic Workflow

30%

of outpatient antibiotics prescribed are unnecessary



50%

antibiotic resistance can occur up to 50% of the time

While the world is sleeping...

HealthTrackRx and UPS are working around the clock to deliver fast, accurate results



BETTER CLINICAL OUTCOMES

Next-Morning PCR Results Reduce Empiric Therapy

Empiric Therapy



Limited test options available to drive rapid pathogen targeted treatment



Rapid detection of organisms such as fungi, anaerobes, & resistance gemes



Reliance on broad spectrum antibiotics



Pathogen specific therapy leads to fewer broad spectrum antibiotics



Multiple lab tests needed to test for all relevant pathogens



ONE Universal Collection Device for ALL collection types!



Slow time to result for send-out lab tests promotes reliance on empiric treatment



NEXT-MORNING RESULTS!




► Reduced Duplicative Testing

► Enhanced Clinical Workflow


► Fast & Accurate Results

► Pathogen Targeted Treatment



Head-to-Toe Molecular Diagnostic Testing

HealthTrackRx's testing technology gives providers the ability to test for pathogens with greater accuracy across a complete menu of common infections. We even make sample collection easy and deliver reporting with antibiotic-resistance genes so patients receive the right treatment the first time.



ONE UNIVERSAL COLLECTION DEVICE



The simplest system imaginable, requiring just one vial regardless of the pathogen.



A collection medium that is not affected by temperature.



A collection medium that doesn't require special refrigeration.



Hyperstable collection medium that inactivates the pathogens for safer, easier processing.

IDENTIFYING INFECTIONS

Syndromic Menu Ordering Reference Guide



Extended Respiratory Viral / Acute Rhinosinusitis

RVIRO

SPECIMEN TYPES: Nasopharyngeal/Nares, Oropharynx/Throat/Oral, Cough Sputum

COMMON SIGNS & SYMPTOMS: Acute upper respiratory tract infection, high-grade fever, acute cough, runny nose, pain in throat, wheezing, or nasal congestion J00, J06.9, R05.1, R50.9, Z20.828, Z20.822

Viral
Adenovirus
Coronaviruses (229E, HKU1, NL63, & OC43)
COVID-19 Coronavirus (SARS-CoV-2)

Enterovirus D68
Human metapneumovirus
Influenza virus A, B
Parainfluenza virus (types 1, 2, 3, 4)

Respiratory syncytial virus
Rhinovirus/Enterovirus

Treatable Respiratory Viruses

SMRPP

SPECIMEN TYPES: Nasopharyngeal/Nares, Oropharynx/Throat/Oral, Cough Sputum

COMMON SIGNS & SYMPTOMS: Acute upper respiratory tract infection, high-grade fever, cough, runny nose, pain in throat, wheezing, nasal congestion, shortness of breath, malaise J00, J06.9, J10.1, R05.1, R06.2, R50.9, Z20.822

Viral
COVID-19 Coronavirus (SARS-CoV-2)

Influenza virus A, B
Respiratory syncytial virus

Pharyngitis / Laryngitis

NWPHG

SPECIMEN TYPES: Oropharynx/Throat/Oral

COMMON SIGNS & SYMPTOMS: Pain in throat, fever, pharyngeal edema, patchy tonsillar exudates, and tender/swollen anterior cervical lymph nodes J00, J02.9, J06.0, R05.1, R05.2, R50.9

Bacterial
Chlamydia pneumoniae
Fusobacterium nucleatum, necrophorum
Mycoplasma pneumoniae
Streptococcus dysgalactiae (Group C & G Strep)
Streptococcus pyogenes (Group A Strep)

Coronaviruses (229E, HKU1, NL63, & OC43)
COVID-19 Coronavirus (SARS-CoV-2)
Enterovirus D68
Human metapneumovirus
Influenza virus A, B
Parainfluenza virus (types 1, 2, 3, 4)

Resistance
dfr (A1, A5), sul (1, 2)
ermB, C; mefA
tet B, tet M

Viral
Adenovirus

Respiratory syncytial virus

Rhinovirus/Enterovirus

ADD-ON: Epstein-Barr Virus (Human Herpesvirus 4, EBV) (NWPHG478), Herpes simplex virus 1 (NWPHG533), Herpes simplex virus 2 (NWPHG534)

Bronchitis

RBVBP

SPECIMEN TYPES: Nasopharyngeal/Nares, Oropharynx/Throat/Oral, Cough Sputum

COMMON SIGNS & SYMPTOMS: Upper or lower respiratory tract infection, including cough, moderate temperature elevation, and mucopurulent sputum J20.8, J06.9, J10.1, J22, R05.1, R06.02, R06.2, R07.1, R50.9

Bacterial
Haemophilus influenzae
Moraxella catarrhalis
Streptococcus pneumoniae

Atypical Bacteria
Bordetella pertussis, parapertussis, bronchiseptica
Chlamydia pneumoniae
Mycoplasma pneumoniae

Viral
Adenovirus
Coronaviruses (229E, HKU1, NL63, & OC43)
COVID-19 Coronavirus (SARS-CoV-2)
Enterovirus D68
Human metapneumovirus
Influenza virus A, B
Parainfluenza virus (types 1, 2, 3, 4)

Respiratory syncytial virus
Rhinovirus/Enterovirus
Resistance
dfr (A1, A5), sul (1, 2)
ermB, C; mefA
tet B, tet M

ADD-ON: Epstein-Barr Virus (Human Herpesvirus 4, EBV) (RBVBP478)

Pneumonia

RESPI

SPECIMEN TYPES: Cough Sputum, Oropharynx/Throat/Oral, Nasopharyngeal/Nares

COMMON SIGNS & SYMPTOMS: Lower respiratory tract infection, high-grade fever, dyspnea, cough, sputum production, or hypoxia & chest x-ray opacity J18.9, J22, R06.02, R06.2, R07.1, R50.9, R91.8

Bacterial
Acinetobacter baumannii
Enterobacter cloacae complex, Klebsiella (Enterobacter) aerogenes
Escherichia coli
Haemophilus influenzae
Klebsiella pneumoniae, oxytoca
Moraxella catarrhalis
Proteus mirabilis, vulgaris
Pseudomonas aeruginosa
Serratia marcescens
Staphylococcus aureus
Streptococcus agalactiae (Group B Strep)
Streptococcus pneumoniae
Streptococcus pyogenes (Group A Strep)

Atypical Bacteria
Bordetella pertussis, parapertussis, bronchiseptica
Chlamydia pneumoniae
Legionella pneumophila
Mycoplasma pneumoniae
Viral
Adenovirus
Coronaviruses (229E, HKU1, NL63, & OC43)
COVID-19 Coronavirus (SARS-CoV-2)
Enterovirus D68
Human metapneumovirus
Influenza virus A, B
Parainfluenza virus (types 1, 2, 3, 4)
Respiratory syncytial virus
Rhinovirus/Enterovirus

Resistance
ACT, MIR, FOX, ACC Groups
CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups
dfr (A1, A5), sul (1, 2)
ermB, C; mefA
IMP, NDM, VIM Groups
meca
OXA-48, OXA-51
qnrA1, A2, B2
SHV, KPC Groups
tet B, tet M

Acute Otitis Media / Mastoiditis

AOTMM

SPECIMEN TYPES: Ear, Nasopharyngeal/Nares

COMMON SIGNS & SYMPTOMS: Otitis media, ear pain, decreased or muffled hearing, bulging ear drum, drainage from ear, mastoiditis, redness or swelling behind ear lobe, fever, headache, or hearing loss H65.23, H66.9, H70.0, H73.93, H92.09

Bacterial
Enterobacter cloacae complex, Klebsiella (Enterobacter) aerogenes
Fusobacterium nucleatum, necrophorum
Haemophilus influenzae
Klebsiella pneumoniae, oxytoca
Moraxella catarrhalis
Mycoplasma pneumoniae
Proteus mirabilis, vulgaris
Pseudomonas aeruginosa
Staphylococcus aureus
Streptococcus pneumoniae

Streptococcus pyogenes (Group A Strep)
Viral
Adenovirus
Coronaviruses (229E, HKU1, NL63, & OC43)
COVID-19 Coronavirus (SARS-CoV-2)
Enterovirus D68
Human metapneumovirus
Influenza virus A, B
Parainfluenza virus (types 1, 2, 3, 4)
Respiratory syncytial virus
Rhinovirus/Enterovirus

Resistance
ACT, MIR, FOX, ACC Groups
CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups
dfr (A1, A5), sul (1, 2)
ermB, C; mefA
IMP, NDM, VIM Groups
meca
OXA-48, OXA-51
qnrA1, A2, B2
SHV, KPC Groups
tet B, tet M

IDENTIFYING INFECTIONS

Syndromic Menu Ordering Reference Guide



Urinary Tract Infection UBASE

SPECIMEN TYPES: Urine (voided), Urine (catheter), Internal Urethra

COMMON SIGNS & SYMPTOMS: Dysuria, hematuria, urgency of urination, frequency of micturition, or pain of micturition

N30.00, N30.01, N39.1, R30.0, R30.9, R31.0, R35.0, R82.9, R82.998, Z87440

Bacterial

Acinetobacter baumannii
Citrobacter freundii
Enterobacter cloacae complex, Klebsiella (Enterobacter) aerogenes
Enterococcus faecalis, faecium
Escherichia coli
Klebsiella pneumoniae, oxytoca
Morganella morganii
Proteus mirabilis, vulgaris
Pseudomonas aeruginosa
Serratia marcescens

Staphylococcus aureus

Staphylococcus epidermidis, haemolyticus, lugdunensis
Staphylococcus saprophyticus
Streptococcus agalactiae (Group B Strep)
Streptococcus pyogenes (Group A Strep)

Fungal

Candida albicans, parapsilosis, tropicalis
Candida glabrata (Nakaseomyces glabratus)
Candida krusei (Pichia kudriavzevii)

Resistance

ACT, MIR, FOX, ACC Groups
CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups
dfr (A1, A5), sul (1, 2)
ermB, C; mefA
IMP, NDM, VIM Groups
mecA
OXA-48, OXA-51
qnrA1, A2, B2
SHV, KPC Groups
tet B, tet M
VanA, VanB

Urinary Tract Infection + High Risk Sexual Behavior URINE

SPECIMEN TYPES: Urine (voided), Urine (catheter), Internal Urethra

COMMON SIGNS & SYMPTOMS: Dysuria, hematuria, urgency of urination, frequency of micturition, pain of micturition, and high risk sexual behavior

N30.00, N30.01, N39.0, N39.1, R30.0, R30.9, R31.0, R35.0, R82.9, R82.998, Z87440, Z20.2, Z72.51, Z72.52

Bacterial

Acinetobacter baumannii
Chlamydia trachomatis
Citrobacter freundii
Enterobacter cloacae complex, Klebsiella (Enterobacter) aerogenes
Enterococcus faecalis, faecium
Escherichia coli
Klebsiella pneumoniae, oxytoca
Morganella morganii
Mycoplasma genitalium
Mycoplasma hominis
Neisseria gonorrhoeae
Proteus mirabilis, vulgaris
Pseudomonas aeruginosa

Serratia marcescens

Staphylococcus aureus
Staphylococcus epidermidis, haemolyticus, lugdunensis
Staphylococcus saprophyticus
Streptococcus agalactiae (Group B Strep)
Streptococcus pyogenes (Group A Strep)

Protozoal

Trichomonas vaginalis

Fungal

Candida albicans, parapsilosis, tropicalis
Candida glabrata (Nakaseomyces glabratus)
Candida krusei (Pichia kudriavzevii)

Resistance

ACT, MIR, FOX, ACC Groups
CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups
dff (A1, A5), sul (1, 2)
ermB, C; mefA
IMP, NDM, VIM Groups
mecA
OXA-48, OXA-51
qnrA1, A2, B2
SHV, KPC Groups
tet B, tet M
VanA, VanB

Urethritis / Discharge URSDC

SPECIMEN TYPES: Urine (voided), Internal Urethra

COMMON SIGNS & SYMPTOMS: Pain with urination, itching, burning, and discharge

R36.9, R30.0, R30.9, R31.9, Z20.2, Z72.51, Z72.52

Bacterial

Chlamydia trachomatis
Mycoplasma genitalium
Mycoplasma hominis
Neisseria gonorrhoeae
Ureaplasma urealyticum
Ureaplasma parvum

Viral

Herpes simplex virus 1
Herpes simplex virus 2

Protozoal

Trichomonas vaginalis

Resistance

dfr (A1, A5), sul (1, 2)
ermB, C; mefA
tet B, tet M

Vaginitis VGITS

SPECIMEN TYPES: Vaginal, Cervical/Endometrial, Vulva/Labia/Vestibule/Perineal, Urine (voided)

COMMON SIGNS & SYMPTOMS: Vaginal discharge, odor, itching, irritation, bacterial vaginosis, vulvovaginal candidiasis

N76.0, N76.1, N76.89, N77.1, N93.9, R30.0, Z72.51

Bacterial

Atopobium vaginae
BVAB2, 3 (Bacterial vaginosis-associated bacteria 2, 3); Mobiluncus spp.
Chlamydia trachomatis
Gardnerella vaginalis
Megasphaera (types 1, 2)
Neisseria gonorrhoeae

Viral

Herpes simplex virus 1
Herpes simplex virus 2

Protozoal

Trichomonas vaginalis

Fungal

Candida albicans, parapsilosis, tropicalis

Candida glabrata (Nakaseomyces glabratus)

Candida krusei (Pichia kudriavzevii)

Resistance

dfr (A1, A5), sul (1, 2)
ermB, C; mefA
tet B, tet M

Recurrent Vaginitis URDVS

SPECIMEN TYPES: Vaginal, Cervical/Endometrial, Vulva/Labia/Vestibule/Perineal, Urine (voided)

COMMON SIGNS & SYMPTOMS: Pain with urination, burning, urethral discharge, vaginal discharge, odor, itching, irritation, or recurrent vaginitis

N76.0, N76.1, N76.89, N77.1, N93.9, R30.0, Z72.51

Bacterial

Atopobium vaginae
BVAB2, 3 (Bacterial vaginosis-associated bacteria 2, 3); Mobiluncus spp.
Chlamydia trachomatis
Gardnerella vaginalis
Megasphaera (types 1, 2)
Mycoplasma genitalium
Mycoplasma hominis

Neisseria gonorrhoeae

Ureaplasma urealyticum

Ureaplasma parvum

Viral

Herpes simplex virus 1

Herpes simplex virus 2

Protozoal

Trichomonas vaginalis

Fungal

Candida albicans, parapsilosis, tropicalis

Candida glabrata (Nakaseomyces glabratus)

Candida krusei (Pichia kudriavzevii)

Resistance

dfr (A1, A5), sul (1, 2)
ermB, C; mefA
tet B, tet M

IDENTIFYING INFECTIONS

Syndromic Menu Ordering Reference Guide



Genital Lesion GNLSN

SPECIMEN TYPES: Genital Ulcer/Lesion, Vaginal, Cervical/Endometrial, Rectal/Anal/Peri-Anal, Oropharynx/Throat/Oral, Ulcer/lesion

COMMON SIGNS & SYMPTOMS: Genital ulcer or lesion

N48.5, N76.6, N50.9, N90.89, Z20.2, Z72.51, Z72.52

Bacterial

Chlamydia trachomatis
Haemophilus ducreyi
Treponema pallidum (Syphilis)

Viral

Herpes simplex virus 1
Herpes simplex virus 2
Mpox (Monkeypox)
Varicella zoster virus (Human Herpesvirus 3, VZV)

Resistance

dfr (A1, A5), sul (I, 2)
ermB, C; mefA
tet B, tet M

Pelvic Inflammatory Disease GUPID

SPECIMEN TYPES: Vaginal, Cervical/Endometrial

COMMON SIGNS & SYMPTOMS: Lower abdominal pain, abnormal vaginal bleeding, urinary frequency, and vaginal discharge

R10.30, N93.9, R35.0, R30.0

Bacterial

Actinomyces israelii
Chlamydia trachomatis
Mycoplasma genitalium

Mycoplasma hominis
Neisseria gonorrhoeae
Treponema pallidum (Syphilis)

Resistance

dfr (A1, A5), sul (I, 2)
ermB, C; mefA
tet B, tet M

Proctitis GUPRS

SWAB SITES: Rectal/Anal

COMMON SIGNS & SYMPTOMS: Rectal pain, rectal bleeding, and purulent rectal discharge

K62.89, K62.5, Z72.51, Z72.52, Z20.2

Bacterial

Chlamydia trachomatis
Neisseria gonorrhoeae
Treponema pallidum (Syphilis)

Viral

Herpes simplex virus 1
Herpes simplex virus 2
Mpox (Monkeypox)

Resistance

dfr (A1, A5), sul (I, 2)
ermB, C; mefA
tet B, tet M

Complicated Genitourinary Infection GNURI

SPECIMEN TYPES: Urine (voided), Urine (catheter), Internal Urethra, Vaginal, Cervical/Endometrial, Vulva/Labia/Vestibule/Perineal, Rectal/Anal, Penile Meatus, Genital Skin, Oropharynx/Throat/Oral

COMMON SIGNS & SYMPTOMS: Dysuria, hematuria, urgency of urination, frequency of micturition, fever, abdominal pain, and aerobic vaginitis

N89.9, R10.9, R30.0, R30.9, R31.9, R36.9, Z20.2, Z72.51, Z72.52

Bacterial

Acinetobacter baumannii
Atopobium vaginae
BVAB2, 3 (Bacterial vaginosis-associated bacteria 2, 3);
Mobiluncus spp.
Chlamydia trachomatis
Citrobacter freundii
Enterobacter cloacae complex, Klebsiella
(Enterobacter) aerogenes
Enterococcus faecalis, faecium
Escherichia coli
Gardnerella vaginalis
Klebsiella pneumoniae, oxytoca
Megaspheara (types 1, 2)
Mycoplasma genitalium
Mycoplasma hominis

Morganella morganii

Neisseria gonorrhoeae
Proteus mirabilis, vulgaris
Pseudomonas aeruginosa
Serratia marcescens
Staphylococcus aureus
Staphylococcus epidermidis, haemolyticus, lugdunensis
Staphylococcus saprophyticus
Streptococcusagalactiae (Group B Strep)
Streptococcus pyogenes (Group A Strep)
Ureaplasma parvum
Ureaplasma urealyticum

Fungal

Candida albicans, parapsilosis, tropicalis
Candida glabrata (Nakaseomyces glabratus)
Candida krusei (Pichia kudriavzevii)

Resistance

ACT, MIR, FOX, ACC Groups
CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups
dfr (A1, A5), sul (I, 2)
ermB, C; mefA
IMP, NDM, VIM Groups
mecA
OXA-48, OXA-51
qnrA1, A2, B2
SHV, KPC Groups
tet B, tet M
VanA, VanB

CGT (Asymptomatic) NWCGT

SPECIMEN TYPES: Urine (voided), Urine (catheter), Internal Urethra, Vaginal, Cervical/Endometrial, Vulva/Labia/Vestibule/Perineal, Rectal/Anal, Penile Meatus, Genital skin, Oropharynx/Throat/Oral

COMMON SIGNS & SYMPTOMS: High risk heterosexual behavior, high risk homosexual behavior, or suspected exposure to a sexually transmitted infection

Z11.3, Z20.2, Z72.51, Z72.52

Bacterial

Chlamydia trachomatis
Neisseria gonorrhoeae

Protozoal

Trichomonas vaginalis

Diarrheal Disease GSTRO

SPECIMEN TYPES: Rectal (fecal), Stool

COMMON SIGNS & SYMPTOMS: Community-acquired diarrhea, pt has significant fever + bloody stools, <7 days of symptoms. Concern of parasitic infection if patient has symptoms >14 days

R19.7, R10.13, R10.30, A09

Bacterial

Campylobacter coli, jejuni, upsaliensis
Clostridioides difficile (toxins A, B)
Clostridium perfringens
Enteroinvasive E. coli (IEC) / Shigella spp.
Salmonella
Shiga toxin producing E. coli (STEC)
Shiga toxin producing E. coli O157 (STEC O157)
Vibrio cholerae, parahaemolyticus, vulnificus
Yersinia enterocolitica

Viral

Norovirus (Genogroup 1, 2)
Rotavirus A, B, C

Resistance

ACT, MIR, FOX, ACC Groups
CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups
dfr (A1, A5), sul (I, 2)
ermB, C; mefA
IMP, NDM, VIM Groups
OXA-48, OXA-51
qnrA1, A2, B2
SHV, KPC Groups
tet B, tet M
VanA, VanB

ADD-ON: (ALL PARASITES: GSTROAO) (GSTRO475), Cyclospora cayetanensis (GSTRO476), Dientamoeba fragilis (GSTRO477), Entamoeba fragilis (GSTRO559), Giardia lamblia (intestinalis) (GSTRO481), Microsporidium (Enterocytozoon bieneusi, Encephalitozoon intestinalis) (GSTRO483)



GASTRO
ONE
Universal Collection Device

IDENTIFYING INFECTIONS

Syndromic Menu Ordering Reference Guide



Traveler's Diarrheal Disease GSTRP

SPECIMEN TYPES: Rectal (fecal), Stool			
COMMON SIGNS & SYMPTOMS: Traveler's diarrhea, pt has significant fever + bloody stools, <7 days of symptoms. Concern of parasitic infection if patient has symptoms >14 days.			
R19.7, R10.13, R10.30, A09	Bacterial Campylobacter coli, jejuni, upsaliensis Enteroinvasive E. coli (EIEC) / Shigella spp. Enteropathogenic E. coli (EPEC) Enterotoxigenic E. coli (ETEC) Salmonella Shiga toxin producing E. coli (STEC) Shiga toxin producing E. coli O157 (STEC O157)	Viral Adenovirus F40/41 Norovirus (Genogroup 1, 2) Rotavirus A, B, C Resistance ACT, MIR, FOX, ACC Groups CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups dfr (A1, A5), sul (1, 2) ermB, C; mefA	IMP, NDM, VIM Groups OXA-48, OXA-51 qnrA1, A2, B2 SHV, KPC Groups tet B, tet M
+ ADD-ON: (ALL PARASITES: GSTRPAO)	Cryptosporidium (GSTRP475), Cyclospora cayetanensis (GSTRP476), Dientamoeba fragilis (GSTRP477), Entamoeba fragilis (GSTRP559), Giardia lamblia (intestinalis) (GSTRP481), Microsporidium (Enterocytozoon bieneusi, Encephalitozoon intestinalis) (GSTRP483)		

Pediatric Diarrheal Disease PEDGI

SPECIMEN TYPES: Rectal (fecal), Stool			
COMMON SIGNS & SYMPTOMS: Community-acquired pediatric diarrhea, pt has significant fever + bloody stools, <7 days of symptoms. Concern of parasitic infection if patient has symptoms >14 days.			
R19.7, R10.13, R10.30, A09	Bacterial Campylobacter coli, jejuni, upsaliensis Enteroinvasive E. coli (EIEC) / Shigella spp. Salmonella Shiga toxin producing E. coli (STEC) Shiga toxin producing E. coli O157 (STEC O157) Vibrio cholerae, parahaemolyticus, vulnificus Viral Adenovirus F40/41 Astrovirus	Viral Norovirus (Genogroup 1, 2) Rotavirus A, B, C Sapovirus Resistance ACT, MIR, FOX, ACC Groups CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups dfr (A1, A5), sul (1, 2) ermB, C; mefA	qnrA1, A2, B2 SHV, KPC Groups tet B, tet M
+ ADD-ON: (ALL PARASITES: PEDGIAO)	Cryptosporidium (PEDGI475), Cyclospora cayetanensis (PEDGI476), Dientamoeba fragilis (PEDGI477), Entamoeba fragilis (PEDGI559), Giardia lamblia (intestinalis) (PEDGI481), Microsporidium (Enterocytozoon bieneusi, Encephalitozoon intestinalis) (PEDGI483)		



Superficial Wound ACWUN

SWAB SITES: Wound Swabs (all locations)			
COMMON SIGNS & SYMPTOMS: Recent wound from trauma with erythema, edema, heat, purulent exudate, and/or pain			
B00.9, B02.9, L01.00, L08.9, L30.9, L53.9, R60.0, S81.802A, S81.801A	Bacterial Acinetobacter baumannii Bacteroides fragilis, Phocaeicola vulgaris Citrobacter freundii Clostridium perfringens, novyi, septicum Enterobacter cloacae complex, Klebsiella (Enterobacter) aerogenes Enterococcus faecalis, faecium Escherichia coli Klebsiella pneumoniae, oxytoca	Viral Proteus mirabilis, vulgaris Pseudomonas aeruginosa Serratia marcescens Staphylococcus aureus Streptococcus agalactiae (Group B Strep) Streptococcus pyogenes (Group A Strep) Vibrio cholerae, parahaemolyticus, vulnificus Resistance ACT, MIR, FOX, ACC Groups CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups	dfr (A1, A5), sul (1, 2) ermB, C; mefA IMP, NDM, VIM Groups meca OXA-48, OXA-51 qnrA1, A2, B2 SHV, KPC Groups tet B, tet M VanA, VanB
+ ADD-ON: Mpox (Monkeypox) (ACWUN536), Herpes simplex virus 1 (ACWUN533), Herpes simplex virus 2 (ACWUN534), Varicella zoster virus (Human Herpesvirus 3, VZV) (ACWUN412)			

Deep / Non-Healing Wound WOUND

SPECIMEN TYPES: Wound Swabs (all locations)			
COMMON SIGNS & SYMPTOMS: Diabetic ulcer, tunneling wound, skin erythema, edema, warmth, abscess, or cellulitis			
B00.9, B02.9, L01.00, L02.214, L02.818, L03.113, L03.114, L03.115, L03.116, L03.90, L30.4, L30.8, L89.144, L97.512, L97.522, S81.802A, S81.801	Bacterial Acinetobacter baumannii Bacteroides fragilis, Phocaeicola vulgaris Citrobacter freundii Clostridium perfringens, novyi, septicum Corynebacterium jeikeium, striatum, tuberculostearicum Cutibacterium (Propionibacterium) acnes Enterobacter cloacae complex, Klebsiella (Enterobacter) aerogenes Enterococcus faecalis, faecium Escherichia coli Klebsiella pneumoniae, oxytoca Peptostreptococcus anaerobius, Peptoniphilus asaccharolyticus, Finegoldia magna, Anaerococcus prevotii	Viral Proteus mirabilis, vulgaris Pseudomonas aeruginosa Serratia marcescens Staphylococcus aureus Staphylococcus epidermidis, haemolyticus, lugdunensis, saprophyticus Streptococcus agalactiae (Group B Strep) Streptococcus pyogenes (Group A Strep) Vibrio cholerae, parahaemolyticus, vulnificus Resistance ACT, MIR, FOX, ACC Groups CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups dfr (A1, A5), sul (1, 2) ermB, C; mefA IMP, NDM, VIM Groups meca OXA-48, OXA-51 qnrA1, A2, B2 SHV, KPC Groups tet B, tet M VanA, VanB	Resistance ACT, MIR, FOX, ACC Groups CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups dfr (A1, A5), sul (1, 2) ermB, C; mefA IMP, NDM, VIM Groups meca OXA-48, OXA-51 qnrA1, A2, B2 SHV, KPC Groups tet B, tet M VanA, VanB
+ ADD-ON: Herpes simplex virus 1 (ACWUN533), Herpes simplex virus 2 (ACWUN534), Varicella zoster virus (Human Herpesvirus 3, VZV) (ACWUN412)			

Tinea TNWUN

SPECIMEN TYPES: Wound Swabs (all locations)		
COMMON SIGNS & SYMPTOMS: Scaly ring-shaped area, itchiness, scaly skin, or noninflamed dermatosis on the body or hair follicle (tinea capitis or tinea barbae)		
B35.0, B35.1, B35.3, B35.4, B35.8	Fungal Candida albicans, glabrata, parapsilosis, tropicalis Epidermophyton floccosum Malassezia furfur, restricta, sympodialis, globosa	Viral Microsporum audouinii, canis; Nannizia gypsea Trichophyton mentagrophytes/interdigitale, rubrum, tonsurans, violaceum
+ ADD-ON: Candida auris (TNWUN506)		

IDENTIFYING INFECTIONS

Syndromic Menu Ordering Reference Guide



Onychomycosis FNGNL

SPECIMEN TYPES: Nail (toe), Nail (finger)

COMMON SIGNS & SYMPTOMS: Skin disorder presenting with nail discoloration (yellow, white, or brown), dystrophy (deformed), thickening, onycholysis (separation from nail bed)
B35.1, B35.3, B35.4, B35.8

Bacterial

Pseudomonas aeruginosa

Fungal

Aspergillus flavus, fumigatus, niger, terreus
Candida albicans, glabrata, parapsilosis, tropicalis
Cutaneotrichosporon mucoides, Trichosporon asahii
Epidermophyton floccosum
Fusarium oxysporum, Neocosmospora solani

Malassezia furfur, restricta, sympodialis, globosa
Microsporum audouinii, canis; Nannizia gypsea
Trichophyton mentagrophytes/interdigitale, rubrum,
tonsurans, violaceum

Resistance

ACT, MIR, FOX, ACC Groups
CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups
dfr (A1, A5), sul (1, 2)

ermB, C; mefA
IMP, NDM, VIM Groups
OXA-48, OXA-51
qnrA1, A2, B2
SHV, KPC Groups
tet B, tet M



Otolaryngology AURAL

SPECIMEN TYPES: Nasopharyngeal/Nares, Oropharynx/Throat/Oral, Ear, Sino-Nasal

COMMON SIGNS & SYMPTOMS: Chronic or complicated ear, nose, or throat infection
J32.0, J32.8, J32.9, K12.2, B37.0, R05.3

Bacterial

Cutibacterium (Propionibacterium) acnes
Enterobacter cloacae complex, Klebsiella
(Enterobacter) aerogenes
Enterococcus faecalis, faecium
Escherichia coli
Fusobacterium nucleatum, necrophorum
Haemophilus influenzae
Klebsiella pneumoniae, oxytoca
Moraxella catarrhalis
Proteus mirabilis, vulgaris
Pseudomonas aeruginosa
Staphylococcus aureus
Streptococcus agalactiae (Group B Strep)

Streptococcus pneumoniae

Streptococcus pyogenes (Group A Strep)

Viral

Adenovirus
Cytomegalovirus (Human Herpesvirus 5, CMV)
Enterovirus (pan)
Epstein-Barr Virus (Human Herpesvirus 4, EBV)

Herpes simplex virus 1, 2

Varicella zoster virus (Human Herpesvirus 3, VZV)

Fungal

Aspergillus flavus, fumigatus, niger, terreus
Candida albicans, glabrata, parapsilosis, tropicalis
Fusarium oxysporum, Neocosmospora solani

Resistance

ACT, MIR, FOX, ACC Groups
CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups
dfr (A1, A5), sul (1, 2)
ermB, C; mefA
IMP, NDM, VIM Groups
mecA
OXA-48, OXA-51
qnrA1, A2, B2
SHV, KPC Groups
tet B, tet M
VanA, VanB



Ophthalmology OPTIC

SPECIMEN TYPES: Eye (external)

COMMON SIGNS & SYMPTOMS: Eye pain, eye redness, blurred vision, sensitivity to light, excessive tearing, and/or eye discharge
B00.50, B00.52, H10.31, H10.32, H10.33, H16.001, H16.002, H16.011, H16.012, H16.041, H16.042

Bacterial

Acinetobacter baumannii
Chlamydia trachomatis
Citrobacter freundii
Cutibacterium (Propionibacterium) acnes
Enterobacter cloacae complex, Klebsiella
(Enterobacter) aerogenes
Enterococcus faecalis, faecium
Escherichia coli
Fusarium oxysporum, Neocosmospora solani
Haemophilus influenzae
Klebsiella pneumoniae, oxytoca
Moraxella catarrhalis
Neisseria gonorrhoeae
Proteus mirabilis, vulgaris
Pseudomonas aeruginosa

Staphylococcus aureus

Streptococcus agalactiae (Group B Strep)

Streptococcus pneumoniae

Streptococcus pyogenes (Group A Strep)

Viral

Adenovirus
Cytomegalovirus (Human Herpesvirus 5, CMV)
Enterovirus (pan)
Epstein-Barr virus (Human Herpesvirus 4, EBV)

Herpes simplex virus 1, 2

Varicella zoster virus (Human Herpesvirus 3, VZV)

Protozoal

Acanthamoeba castellani, polyphaga; Vermamoeba
(Hartmannella) vermiformis
Microsporidia (Encephalitozoon hellem, cuniculi,
Nosema (Vittaforma) ocularum)

Fungal

Aspergillus flavus, fumigatus, niger, terreus
Candida albicans, glabrata, parapsilosis, tropicalis
Fusarium oxysporum, Neocosmospora solani

Resistance

ACT, MIR, FOX, ACC Groups
CTX-M1 (15), M2 (2), M9 (9), M8/25 Groups
dfr (A1, A5), sul (1, 2)
ermB, C; mefA
IMP, NDM, VIM Groups
mecA
OXA-48, OXA-51
qnrA1, A2, B2
SHV, KPC Groups
tet B, tet M
VanA, VanB

MOLECULAR PATHOLOGY REPORT

FACILITY INFORMATION	PATIENT INFORMATION	SPECIMEN INFORMATION
Facility Name: Facility Demo, LLC Provider Name: PHYSICIAN DEMONSTRATION M.D. NPI: 100000000 Address: 1500 I-35W, Denton, TX 76207 Denton, TX 76207 Phone: 940-383-2223	Name: HTRXTEST, TEST DOB: 03/31/1982 Gender at Birth: Female Address: 1500 Interstate 35W Denton, TX 76207, Phone: (940) 383-2223 Race: White Ethnicity: Not Hispanic or Latino	Lab Accession Number: 9433672 Date Collected: 11/15/2023 Date Received by Lab: 11/16/2023 Date Reported: 11/16/2023 Sample Type: Urinary Tract Area of Interest: Urine (Voided) Cross Reference #: Order Category: Urinary Tract Infection; Antibiotic Resistance

Urinary Tract Infection Pathogens Detected

Bacterial Pathogens

Enterococcus spp (faecalis, faecium)
Escherichia coli

Results

Microbial Load*

Detected	>100,000 CFU/mL Equivalent
Detected	<100,000 CFU/mL Equivalent

Quick Summary Antibiotic Table Legend:

(++): BEST ACTIVITY
(+): GOOD ACTIVITY
(±): VARIABLE ACTIVITY

	Enterococcus spp	Escherichia coli
Penicillins	+ ±	
Fluoroquinolones	± +	
Tetracyclines	± ±	
Nitrofuran	+ +	
Phosphidic acid derivative	± +	

	Ampicillin (IV/IM/po)	+ ±	
Penicillins	Ampicillin (IV/IM/po)	+ ±	
	Amoxicillin (po)	+ ±	
	Amoxicillin Clavulanic acid (po)	+ +	
Fluoroquinolones	Ciprofloxacin (po/OT/OP/IV)	± +	
	Delafloxacin (po/IV)	+ +	
	Ofloxacin (po/OT/OP)	± +	
	Levofloxacin (po/OP/IV)	+ +	
	Moxifloxacin (po/OP/IV)	+ +	
	Norfloxacin (po)	+ +	
	Gemifloxacin (po)	+ +	
Tetracyclines	Doxycycline (po/IV)	± ±	
	Minocycline (po/IV)	± ±	
	Omadacycline (po/IV)	+ +	
	Tetracycline (po)	± ±	
Nitrofuran	Nitrofurantoin (Macrobid) (po)	+ +	
Phosphidic acid derivative	Fosfomycin (po)	± +	

! Quick Summary Table above shows potentially effective oral antibiotic(s) for the above-noted bacteria (assumes mono-antimicrobial therapy, unless otherwise specified). Detected antimicrobial resistance gene(s) (as applicable) has(have) been integrated into antibiotic selection. Based on patient-specific clinical data, multi-antimicrobial therapy might be indicated in some cases (see Summary Antibiogram below).***

Antimicrobial Resistance Genes Detected

dfr (A1, A5), sul (1,2)

! Potential resistance to Trimethoprim and/or Sulfamethoxazole.

PERSONALIZED SUMMARY ANTIBIOTIC

Antibiotic Table Legend:

(++) BEST ACTIVITY, >90% of bacterial cultural isolates are sensitive.
 (+): GOOD ACTIVITY, 70-90% of bacterial cultural isolates are sensitive.
 (±): VARIABLE ACTIVITY, 50-70% of bacterial cultural isolates are sensitive.
 (0): Non-Recommended antimicrobial;

Note: Personalized (patient specific) data included in this report, are a correlation of detected microbes and antimicrobial resistance genes (if any), with national antimicrobial sensitivity data.

Administration Mode: po = oral, IV = intravenous, IM = intramuscular, OP = ophthalmic, OT = otic.

Some antibiotics might not be available in the US (see www.pdr.net, www.drugs.com, or www.rxlist.com for current information).

		Enterococcus spp	Escherichia coli
Penicillins	Penicillin G (IV/IM)	+	0
	Ampicillin (IV/IM/po)	+	±
	Amoxicillin (po)	+	±
	Amoxicillin Clavulanic acid (po)	+	+
	Ampicillin Sulbactam (IV/IM)	+	+
	Piperacillin Tazobactam (IV)	+	+
Carbapenems	Doripenem (IV)	±	+
	Ertapenem (IV/IM)	±	+
	Imipenem (IV/IM)	±	+
	Imipenem Cilastatin Relebactam (IV)	±	+
	Meropenem (IV)	±	+
	Meropenem Vaborbactam (IV)	±	+
Monobactam	Aztreonam (IV/IM)	0	+
Fluoroquinolones	Ciprofloxacin (po/OT/OP/IV)	±	+
	Delafloxacin (po/IV)	+	+
	Ofloxacin (po/OT/OP)	±	+
	Levofloxacin (po/OP/IV)	+	+
	Moxifloxacin (po/OP/IV)	+	+
	Norfloxacin (po)	+	+
	Gemifloxacin (po)	+	+
	Gatifloxacin (OP)	+	+
Parenteral Cephalosporins	Cefazolin (IV/IM)	0	+
	Cefotetan (IV/IM)	0	+
	Cefoxitin (IV)	0	+
	Cefuroxime (po/IV/IM)	0	+
	Cefotaxime (IV/IM)	0	+
	Ceftizoxime (IV/IM)	0	+
	Ceftriaxone (IV/IM)	±	+
	Ceftazidime (IV/IM)	0	+
	Cefepime (IV/IM)	0	+
	Ceftazidime Avibactam (IV)	0	+
	Ceftaroline (IV)	0	+
	Ceftobiprole (IV)	0	+

	Enterococcus spp	Escherichia coli	
Oral Cephalosporins	Ceftolozane Tazobactam (IV)	0	+
	Cefiderocol (IV)	0	+
	Cefadroxil (po)	0	±
	Cephalexin (po)	0	±
	Cefaclor (po)	0	±
	Cefprozil (po)	0	+
	Cefuroxime Axetil (po/IV/IM)	0	+
	Cefixime (po)	0	+
	Ceftibuten (po)	0	+
	Cefpodoxime (po)	0	+
	Cefdinir (po)	0	+
Aminoglycosides	Gentamicin (IV/IM/OP)	±	+
	Tobramycin (IV/IM/OP)	0	+
	Amikacin (IV/IM)	0	+
	Plazomicin (IV)	0	+
Macrolides	Azithromycin (po/IV/OP)	0	±
Tetracyclines	Doxycycline (po/IV)	±	±
	Ervacycline (IV)	+	+
	Minocycline (po/IV)	±	±
	Omadacycline (po/IV)	+	+
	Tetracycline (po)	±	±
Glycylcycline	Tigecycline (IV)	+	+
Glycopeptides Lipopeptide Lipoglycopeptide	Daptomycin (IV)	+	0
	Vancomycin (po/IV/OP)	++	0
	Telavancin (IV)	+	0
	Oritavancin (IV)	+	0
	Dalbavancin (IV)	+	0
Oxazolidinones	Linezolid (po/IV)	+	0
	Tedizolid (po/IV)	+	0
Polymyxin Peptides	Polymyxin B (IV/IM/OP)	0	+
	Colistin (IV/IM/OT)	0	+
Peptidyl transferase inhibitor	Chloramphenicol (OP)	±	+
Nitrofuran	Nitrofurantoin (Macrobid) (po)	+	+

Meet Our Clinical Advisory Team




Barbara D Alexander
MD, FACP, FIDSA
HealthTrackRx Chief Medical Advisor & Chair of the Clinical Advisory Board



Cornelius (Neil) J Clancy
MD



Barry Eisenstein
MD



Thomas M File, Jr., MD
MSc, MACP, FIDSA,
FCCP



Kimberly E Hanson
MD, MHS, FIDSA



Robin Patel
MD



Adriana E. Rosato
SM (ASCP), MSc, PhD

As the nation's premier PCR-based infectious disease laboratory, we are committed to transforming diagnostics with custom solutions that provide rapid, clinically-actionable results to providers and their patients.

Our Clinical Advisory Board, composed of leading infectious disease (ID) and antimicrobial resistance (AMR) experts, guides the development of new tests and menus, advocates for guideline-based molecular testing, and facilitates clinical trials. Insights from the Board not only advance our PCR testing program, but also demonstrate its utility in improving ID patient outcomes and combating AMR.

Have Clinical Questions Regarding our Testing?

The HealthTrackRx Medical Science Liaison team is here to help!

- ▶ Menu education
- ▶ Patient Report Reviews
- ▶ Specific Pathogen Questions
- ▶ Information on Relevant Guidelines
- ▶ Research Questions
- ▶ And much more!

Clinical Expert Line: 940-383-2223

Accessibility Through Health Plan Partnerships

Hundreds of national and regional health plans contract with HealthTrackRx!

In-network status may not apply for all health plan types, in all geographies, or for all health plan network products. We encourage ordering providers and patients to check the patient's health plan before services are ordered.

225M COVERED LIVES



* Please refer to our In-Network Payor List for additional information.

AFFORDABLE TESTING. FAST RESULTS.

Financial Assistance

Compassionate billing practices including payment plans, prompt pay discounts, and financial hardship considerations available.



Nationwide Coverage

Our laboratory testing is covered by most insurance companies, including Medicare and Medicaid.



Payment Options

Pay online, by text, or by mobile—Paying your bill is fast and easy!*



* (An Explanation of Benefits (EOB) is not a bill; please wait until a statement arrives)

RIGHTTRACK Performance Report




KEY INSIGHTS TO HELP HEALTHCARE PROVIDERS IMPROVE PATIENT CARE

 **On-time performance: from test to result**

 **Test affordability and payor landscape**

 **Clinical value: menu usage and pathogen positivity**


 **Specimen error report: handling or ordering issues that impact next-morning results**



* Data is available at national, state, and clinic levels.



Your go-to
resource for
HealthTrackRx
lab menus,
instructional
videos, best
practices,
and more!





8M+
patients served



Largest provider of
overnight PCR testing



4 state-of-the-art
molecular labs



5,000
practices



Partnered with 50% of
top-100 urgent care providers



12,000
referring clinicians



10+ medical specialities



225M covered lives



Our UPS partnership is your speed advantage

 **HEALTHTRACK^{RX}
UNIVERSITY**

**INFECTION
TESTING
MADE EASY!**

